

-WASH

NEMA 4 Water Resistant Modification

CUSTOMER _____

PROJECT _____

ARCHITECT/ENGINEER _____

CONTRACTOR _____

DRAWING NUMBER _____

DATE _____

SHEET OF _____

ORDERING INFORMATION:

SUPPLY _____ LINEAR OPERATOR(S) MODEL _____ **-S-WASH** _____
WITH A MOTOR RATING OF _____ HP, _____ VOLTS, _____ PHASE, _____ HERTZ
FOR A _____ WIDE X _____ HIGH DOOR(S) WITH _____
SUPPLY _____ OPEN-CLOSE-STOP CONTROL STATION(S) IN NEMA _____ ENCLOSURE PER OPERATOR
_____ DRIVE SPROCKET _____ DOOR SPROCKET
AUXILIARY AND OPTIONAL EQUIPMENT AS SPECIFIED BELOW OR ON ATTACHED SHEET:

ARCHITECTURAL SPECIFICATIONS (-WASH MODIFICATION):

The NEMA 4 water resistant modification will include a water-resistant motor, NEMA 4/12 water-tight/oil-tight control enclosure, a water-tight/oil-tight 3-button control station, and nickel-plated chain in place of all standard roller chain on the operator.

NOTES:

REFER TO PRODUCT DATA SHEET FOR GENERAL INFORMATION
REFER TO DRAWING _____ FOR WIRING DIAGRAM

LINEAR LLC
1950 Camino Vida Roble Ste. 150
Carlsbad, CA 92009

Copyright © 2010 Linear LLC P1023 X1

Phone 800-421-1587
Fax 800-468-1340
Website www.linearcorp.com

Linear[®]
Building On Innovation.